

PLEASE NOTE

In order to avoid mistakes when ordering please insure that orders are specific with your own order number and that where applicable the correct part numbers are used.

Prices are ex-works Villa Rica, Georgia

Minimum order value \$25.00

Net 30 Days

Prices are subject to change without notice

CREDIT: All orders will be shipped C.O.D. unless the Dealer/Distributor has approved credit with ABI.

NOTE: C.O.D. will also apply to Dealers/Distributors who have reached their credit limit.

HANDLING: A fee of \$7.00 will be charged to each shipment as a handling charge.

FREIGHT: All truck shipments (TL and/or LTL) are sent freight collect.
Prepaid shipments have a 10% surcharge added.

Contents

Page 1	300 Series Pipe
Page 2	300 Series Connectors
Page 4	300 Series Couplers (Black and Galvanized)
Page 5	300 Series Couplers (Stainless Steel)
Page 6	300 Series Couplers (Aluminum)
Page 7	200 Series Pipes
Page 7	200 Series Connectors
Page 10	200 Series Couplers
Page 11	Circle Lock Couplers
Page 13	Footvalves and Strainers
Page 14	Supply and Suction Hoses
Page 15	Accessories
Page 17	Flanges and Valve Opening Elbows
Page 18	Coupler Dimensions




Pipe and Hose Connectors

ABI 300 series couplers reduce operating costs thanks to the assembling speed, to the 30 degree of the deviation cone and a working pressure of up to 290psi (20 bar).

The advanced design has a double pin-locking lever for smoother closing action.

300 series fittings are interchangeable with existing BAUER.

300 SERIES QUICK COUPLING PIPES



300 Series light steel quick-coupling pipes with suction and pressure tight lever closure. Interchangeable with BAUER.

Material: Cold rolled strip steel, electrically welded and hot dip galvanized.

Working Pressure: 175 psi (12 bar)

Test Pressure: 1.5 times working pressure


Max. Angle of Deviation: 30deg for 4", 20deg for 5"-8"








Length: 20 feet (6 Meters)


Note : Rubber sealing ring-305 series for normal use, for water and waste water . 306 series is oil resistant, for oil based products and compressed air, and heat resistant up to 230deg F (110deg C)

Rubber sealing ring is sold separately, see page 3.

PIPE SIZE (O.D.)	WALL THICKNESS	WEIGHT PER 20'	PART NUMBER	PRICE STEEL	PRICE ALUMINUM
4" (108 mm)	.035"	48#	360B4	216.91	178.76
5" (133 mm)	.039"	67#	360B5	253.97	224.54
6" (159 mm)	.058"	89#	360B6	402.21	305.20
8" (194 mm)	.058"	124#	360B8	521.02	438.18
Aluminum Pipe 6" x 40'					511.21

	PIPE SIZE (O.D.)	LENGTH (FEET)	PART NUMBER	PRICE
300 Series Quick Coupling Filling Pipes  Rubber sealing ring is sold separately, see page 3.	2" (50 mm)	3	361B2	52.32
		6	362B2	59.95
		10	363B2	68.67
	3" (76 mm)	3	361B3	74.12
		6	362B3	87.20
		10	363B3	101.37
	4" (108 mm)	3	361B4	134.07
		6	362B4	155.87
		10	363B4	178.76
	5" (133 mm)	3	361B5	168.95
		6	362B5	197.29
		10	363B5	226.72
	6" (159 mm)	3	361B6	220.18
		6	362B6	257.24
		10	363B6	293.21
	8" (194 mm)	3	361B8	334.63
		6	362B8	389.13
		10	363B8	444.72


	SIZE	PART NUMBER	LIST PRICE
 Female Cap*	2"	308B2	8.85
	3"	308B3	9.83
	3.5"	308B35	14.63
	4"	308B4	21.08
	5"	308B5	33.08
	6"	308B6	42.19
	8"	308B8	85.46
* Rubber O-Ring included			
 Male Cap	2"	307B2	29.44
	3"	307B3	42.53
	3.5"	307B35	59.25
	4"	307B4	71.63
	5"	307B5	96.60
	6"	307B6	125.25
	8"	307B8	221.21
 Bend 90 degree*	2"	315B29	56.18
	3"	315B39	78.30
	3.5"	315B359	100.28
	4"	315B49	130.73
	5"	315B59	186.90
	6"	315B69	248.66
	8"	315B89	448.31
* Rubber O-Ring included			
 Bend 45 degree*	2"	315B24	52.54
	3"	315B34	73.13
	3.5"	315B354	95.21
	4"	315B44	121.16
	5"	315B54	170.36
	6"	315B64	223.91
	8"	315B84	392.59
* Rubber O-Ring included			
 Line Tee*	2"	316B2	109.50
	3"	316B3	164.21
	3.5"	316B35	208.65
	4"	316B4	262.50
	5"	316B5	365.96
	6"	316B6	470.40
	8"	316B8	780.94
* Rubber O-Ring included			
 End Tee*	2"	317B2	90.64
	3"	317B3	130.28
	3.5"	317B35	169.91
	4"	317B4	215.25
	5"	317B5	292.01
	6"	317B6	380.25
	8"	317B8	635.51
* Rubber O-Ring included			
 Reducer*	3"-2"	318B32	59.63
	3.5"-3"	318B353	81.15
	4"-3"	318B43	88.65
	4"-3.5"	318B435	108.49
	5"-4"	318B54	144.30
	6"-4"	318B64	154.39
	6"-5"	318B65	182.36
	8"-6"	318B86	274.76
* Rubber O-Ring included			


	SIZE	PART NUMBER	LIST PRICE
 Inceaser*	2"-3"	319B23	69.98
	3"-3.5"	319B335	94.50
	3.5"-4"	319B354	116.18
	4"-5"	319B45	155.89
	4"-6"	319B46	190.95
	5"-6"	319B56	207.38
	6"-8"	319B68	339.49

* Rubber O-Ring included


 Rubber O-Ring "water"	2"	305B2	.73
	3"	305B3	1.80
	3.5"	305B35	2.93
	4"	305B4	3.11
	5"	305B5	5.81
	6"	305B6	6.19
	8"	305B8	14.10

 Rubber O-Ring "oil"	2"	306B2	2.03
	3"	306B3	3.71
	3.5"	306B35	4.58
	4"	306B4	5.85
	5"	306B5	11.33
	6"	306B6	12.19
	8"	306B8	22.43


 Flanged Male	2"x2"	313B2	67.73
	3"x3"	313B3	103.73
	4"x4"	313B4	155.70
	6"x6"	313B6	208.35
	8"x8"	313B8	281.55

 Flanged Female*	2"x2"	314B2	50.74
	3"x3"	314B3	77.70
	4"x4"	314B4	102.11
	6"x6"	314B6	183.23
	8"x8"	314B8	321.19


* Rubber O-Ring included

 Threaded Male**	2"	311B2	33.83
	3"	311B3	51.94
	4"	311B4	87.79
	5"	311B5	131.06
	6"	311B6	171.94
	8"	311B8	338.25

** Lever Clamp included

 Threaded Female*	2"	312B2	16.91
	3"	312B3	23.55
	4"	312B4	40.88
	5"	312B5	68.59
	6"	312B6	85.39
	8"	312B8	194.89


* Rubber O-Ring included


	SIZE	PART NUMBER	LIST PRICE
 Hosetail Male**	2"	309B2	29.10
	3"	309B3	47.36
	3.5"	309B35	66.23
	4"	309B4	84.04
	5"	309B5	114.15
	6"	309B6	151.05
	8"	309B8	285.60

** Lever Clamp included


 Hosetail Female*	2"	310B2	12.26
	3"	310B3	18.68
	3.5"	310B35	24.49
	4"	310B4	36.15
	5"	310B5	51.56
	6"	310B6	64.99
	8"	310B8	139.01


* Rubber O-Ring included

	SIZE	GALVANIZED		BLACK (WELD-ON)	
		PART NUMBER	PRICE	PART NUMBER	PRICE
 Coupling Complete	2"	301GB2	26.91	301B2	21.53
	3"	301GB3	40.36	301B3	32.29
	3.5"	301GB35	57.85	301B35	46.28
	4"	301GB4	72.38	301B4	57.90
	5"	301GB5	103.93	301B5	83.14
	6"	301GB6	135.56	301B6	108.45
	8"	301GB8	261.24	301B8	208.99

 Male**	2"	303GB2	3.80	303B2	3.04
	3"	303GB3	5.25	303B3	4.20
	3.5"	303GB35	7.69	303B35	6.15
	4"	303GB4	13.26	303B4	10.61
	5"	303GB5	15.66	303B5	12.53
	6"	303GB6	19.98	303B6	15.98
	8"	303GB8	43.26	303B8	34.61

** Lever Clamp sold separately, see page 4

 Lever Clamp	2"	304GB2	17.54	304B2	14.03
	3"	304GB3	27.38	304B3	21.90
	3.5"	304GB35	38.63	304B35	30.90
	4"	304GB4	42.80	304B4	34.24
	5"	304GB5	61.41	304B5	49.13
	6"	304GB6	81.94	304B6	65.55
	8"	304GB8	149.68	304B8	119.74

 Female*	2"	302GB2	5.58	302B2	4.46
	3"	302GB3	7.74	302B3	6.19
	3.5"	302GB35	11.54	302B35	9.23
	4"	302GB4	16.36	302B4	13.09
	5"	302GB5	26.91	302B5	21.53
	6"	302GB6	33.66	302B6	26.93
	8"	302GB8	68.30	302B8	54.64

* Rubber O-Ring included






300 Series Couplers Stainless Steel

Now available in stainless steel the 300 series couplers are suitable for use in the food, pharmaceutical and chemical industries. Also for the delivery of potable water.

The advanced design has a double pin-locking lever for smoother closing action.

300 series fittings are interchangeable with existing BAUER.

	SIZE	PART NUMBER	LIST PRICE
 Hosetail Male**	2"	1941011	34.40
	3"	1309B3	61.60
	4"	1951011	76.80
	5"	1309B5	148.00
	6"	1971011	276.80
** Lever Clamp sold separately, see page 4 for galvanized or see below for stainless.			
 Hosetail Female*	2"	1940711	34.40
	3"	1310B3	61.60
	4"	1950711	76.80
	5"	1310B5	148.00
	6"	1970711	276.80
* Rubber O-Ring sold separately, see page 3			
 Lever Clamp	2"	1304B2	11.20
	3"	1304B3	19.20
	4"	1304B4	32.00
	5"	1304B5	45.60
	6"	1304B6	62.40





300 Series Couplers Aluminum

300 series aluminum couplers reduce operating costs thanks to the assembling speed, to the 30 degree of the deviation cone and a working pressure of up to 290psi (20 bar).


The advanced design has a double pin-locking lever for smoother closing action.

Aluminum fittings are interchangeable with existing BAUER steel fittings.

	SIZE	PART NUMBER	LIST PRICE
 Coupling Complete	2"	311A2	39.60
	3"	311A3	56.70
	4"	311A4	81.90
	5"	311A5	116.10
	6"	311A6	147.60
	8"	311A8	238.50

 Male**	2"	302A2	13.50
	3"	302A3	18.00
	4"	302A4	24.30
	5"	302A5	31.50
	6"	302A6	36.90
	8"	302A8	58.50

** Lever Clamp sold separately, see page 4 for galvanized or see page 5 for stainless.

 Female*	2"	301A2	13.50
	3"	301A3	18.90
	4"	301A4	26.10
	5"	301A5	35.10
	6"	301A6	41.40
	8"	301A8	72.90

* Rubber O-Ring included




Pipe and Hose Connectors

ABI 200 series couplers are available from 6" to 12", which is the biggest quick coupling in the world. With a 28 deg of the deviation cone and a working pressure of up to 217psi (15 bar).

The advanced design has a double pin-locking lever for smoother closing action.

200 SERIES QUICK COUPLING PIPES



200 Series light steel quick-coupling pipes with suction and pressure tight lever closure. Interchangeable with BAUER.

Material: Cold rolled strip steel, electrically welded and hot dip galvanized.
Working Pressure: 130 psi (9 bar) 6"-8", 90 psi (6 bar) 10"-12"
Test Pressure: 1.5 times working pressure
Max. Angle of Deviation: 20 deg

Note: Rubber sealing ring-205 series for normal use, for water and waste water. 206 series is oil resistant, for oil based products and compressed air, and heat resistant up to 230deg F (110deg C)

Rubber sealing ring is sold separately, see page 9.

	PIPE SIZE (O.D.)	LENGTH (FEET)	PART NUMBER	PRICE
	6" (150 mm)	10'	263D6	264.97
		20'	266D6	320.46
	8" (200 mm)	10'	263D8	395.67
		20'	266D8	445.81
	10" (250 mm)	10'	263D10	514.48
		20'	266D10	643.10
12" (300 mm)	10'	263D12	650.73	
	20'	266D12	1,044.22	








	SIZE	PART NUMBER	LIST PRICE
 Female Cap*	6"	209D6	31.61
	8"	209D8	66.49
	10"	209D10	90.47
	12"	209D12	194.02
* Rubber O-Ring included			
 Male Cap**	6"	210D6	28.34
	8"	210D8	56.68
	10"	210D10	87.20
	12"	210D12	151.51

** Ring included










AgriBusiness International, Inc.
 P.O. Box 909, Villa Rica, GA 30180
 Phone: (770) 459-4401
 Fax: (770) 459-6877

Coupler Price List
 June 2008

	SIZE	PART NUMBER	LIST PRICE
 Bend 90 Degree*	6"	215D6.90	174.40
	8"	215D8.90	309.56
	10"	215D10.90	429.46
	12"	215D12.90	682.34
* Rubber O-Ring included			
 Bend 45 Degree*	6"	215D6.45	136.25
	8"	215D8.45	239.80
	10"	215D10.45	345.53
	12"	215D12.45	584.24
* Rubber O-Ring included			
 Line Tee*	6"	216D6	234.35
	8"	216D8	415.29
	10"	216D10	618.03
	12"	216D12	1,153.22
* Rubber O-Ring included			
 End Tee*	6"	217D6	239.80
	8"	217D8	436.00
	10"	217D10	618.03
	12"	217D12	1,195.73
* Rubber O-Ring included			
 Reducer*	8"-6"	226D86	173.31
	10"-8"	226D108	275.77
	12"-10"	226D1210	482.87
* Rubber O-Ring included			
 Increaser*	6"-8"	227D68	165.68
	8"-10"	227D810	275.77
	10"-12"	227D1012	408.75
* Rubber O-Ring included			
 Flanged Male***	6"	222D6	140.61
	8"	222D8	249.61
	10"	222D10	417.47
	12"	222D12	566.80

*** Specialty sizes are available, please call for pricing





	SIZE	PART NUMBER	LIST PRICE
 Flanged Female***	6"	223D6	146.06
	8"	223D8	273.59
	10"	223D10	425.10
	12"	223D12	656.18
	*** Specialty sizes are available, please call for pricing * Rubber O-Ring included		
 Threaded Male***	6"	213D6	76.30
	8"	213D8	152.60
*** Specialty sizes are available, please call for pricing ** Ring included			
 Threaded Female***	6"	214D6	83.93
	8"	214D8	159.14
*** Specialty sizes are available, please call for pricing * Rubber O-Ring included			
 Hosetail Male**	6"	211D6	58.86
	8"	211D8	122.08
	10"	211D10	209.28
	12"	211D12	321.55
*** Specialty sizes are available, please call for pricing ** Ring included			
 Hosetail Female	6"	212D6	59.95
	8"	212D8	130.80
	10"	212D10	204.92
	12"	212D12	365.15
* Rubber O-Ring included			
 Rubber O-Ring "water"	6"	205D6	3.27
	8"	205D8	5.45
	10"	205D10	13.08
	12"	205D12	14.17
 Rubber O-Ring "oil"	6"	206D6	5.45
	8"	206D8	13.08
	10"	206D10	23.98
	12"	206D12	31.61




Hose Couplers

ABI 200 series couplers are available from 6" to 12", which is the biggest quick coupling in the world. With a 28 deg of the deviation cone and a working pressure of up to 217psi (15 bar).

The advanced design has a double pin-locking lever for smoother closing action.

	SIZE	GALVANIZED		BLACK (WELD-ON)	
		PART NUMBER	PRICE	PART NUMBER	PRICE
 Coupling Complete	6"	201GD6	73	201D6	55.59
	8"	201GD8	143	201D8	94.83
	10"	201GD10	206	201D10	141.70
	12"	201GD12	459	201D12	295.39
 Male**	6"	203GD6	17	203D6	11.99
	8"	203GD8	35	203D8	22.89
	10"	203GD10	56	203D10	37.06
	12"	203GD12	111	203D12	69.76
** Ring sold separately, see below					
 Ring	6"	202GD6	16	202D6	15.26
	8"	202GD8	30	202D8	19.62
	10"	202GD10	45	202D10	32.70
	12"	202GD12	88	202D12	56.68
 Female*	6"	204GD6	37	204D6	28.34
	8"	204GD8	71	204D8	52.32
	10"	204GD10	112	204D10	73.03
	12"	204GD12	242	204D12	168.95






* Rubber O-Ring included




Circle Lock Couplers


ABI high-pressure circle lock connectors are well accepted throughout the world for the transfer of water for irrigation.

The simple action clamp gives a positive closure.


	SIZE	PART NUMBER	LIST PRICE
 Hosetail Male***	3" x 4"	ABI 842	
	3.5" x 4"	ABI 843	
	4" x 4"	ABI 846	
	4" x 5"	ABI 848	
	5" x 5"	ABI 838	
*** Specialty sizes are available, please call for pricing, ** Clamp sold separately, see below			
 Hosetail Female***	3" x 4"	ABI 901	
	3.5" x 4"	ABI 902	
	4" x 4"	ABI 847	
	4" x 5"	ABI 903	
	5" x 5"	ABI 904	
*** Specialty sizes are available, please call for pricing, ** Gasket sold separately, see page 12			
 Threaded Male***	3"	ABI 905	
	4"	ABI 906	
	5"	ABI 907	
	6"	ABI 908	
*** Specialty sizes are available, please call for pricing, ** Clamp sold separately, see below			
 Threaded Female***	3"	ABI 887	
	4"	ABI 888	
	5"	ABI 889	
	6"	ABI 890	
*** Specialty sizes are available, please call for pricing, ** Gasket sold separately, see page 12			
 Clamp	3"	ABI 821	
	4"	ABI 343	
	5"	ABI 886	
	6"	ABI 419	

	SIZE	PART NUMBER	LIST PRICE
 Gasket***	2"	ABI 809	
	3"	ABI 468	
	4"	ABI 072	
	5"	ABI 267	
	6"	ABI 075	


*** Specialty sizes are available, please call for pricing, ***All manufacturers available, please call for pricing

 Male Cap***	3"	ABI 891	
	4"	ABI 892	
	5"	ABI 893	
	6"	ABI 343	

*** Larger sizes are available, please call for pricing, ** Clamp sold separately, see page 11

 Female Cap***	2"	ABI 878	
	3"	ABI 879	
	4"	ABI 880	
	5"	ABI 881	
	6"	ABI 160	


*** Larger sizes are available, please call for pricing, ** Gasket sold separately, see above

 Coupling Complete***	3"	ABI 882	
	4"	ABI 883	
	5"	ABI 884	
	6"	ABI 885	


*** Larger sizes are available, please call for pricing,


 Male "black"***	3"	ABI 822	
	4"	ABI 170	
	5"	ABI 418	
	6"	ABI 490	


*** Larger sizes are available, please call for pricing, ** Clamp sold separately, see page 11


 Female "black"***	2"	ABI 837	
	3"	ABI 491	
	4"	ABI 286	
	5"	ABI 191	
	6"	ABI 498	

*** Larger sizes are available, please call for pricing, ** Gasket sold separately, see above

	SIZE	PART NUMBER	LIST PRICE
 <p>300 Series Male Footvalve w/ Strainer</p>	3"	326B3	154.31
	4"	326B4	198.64
	5"	326B5	268.91
	6"	326B6	340.61
	8"	326B8	736.91





 <p>Hosetail Footvalve w/ Strainer</p>	3"	325B3	119.44
	4"	325B4	136.01
	5"	325B5	182.36
	6"	325B6	225.64
	8"	325B8	531.11
	10"	325B10	1,310.10
	12"	325B12	1,626.45

 <p>Hosetail Strainer</p>	2"	630050	16.50
	3"	631076	27.50
	4"	633100	30.80
	5"	634125	45.10
	6"	634150	50.60


 <p>300 Series Male Strainer***</p>	4"	ABI 492	61.35
	5"	ABI 545	106.75
	6"	ABI 493	132.13


*** Larger sizes are available, please call for pricing.

****All hose prices are by the foot


	SIZE	PART NUMBER	LIST PRICE
 <p>Green PVC Suction</p>	3"	ABI 114	
	4"	ABI 115	
	5"	ABI 205	
	6"	ABI 547	
	8"	ABI 733	
 <p>H.D. Supply 150 psi</p>	3/4"	ABI 627	
	1"	ABI 416	
	2"	ABI 208	
	3"	ABI 414	
	3-1/2"	ABI 164	
	4"	ABI 210	
	5"	ABI 524	
	6"	ABI 501	
	8"	ABI 629	
 <p>H.D. Layflat 125 psi</p>	1-1/2"	ABI 433	
	2"	ABI 830	
	2-1/2"	ABI 288	
	3"	ABI 242	
	4"	ABI 243	
 <p>Clear PVC Suction</p>	1"	ABI 037	
	1-1/2"	ABI 136	

All hoses are priced by the linear foot.


	SIZE	PART NUMBER	LIST PRICE
 Hosetail Weld-On	2"	611B2	14
	3"	611B3	14
	3-1/2"	611B35	15
	4"	611B4	15
	5"	611B5	19
	6"	611B6	21
	8"	611B8	38
	10"	ABI 112	55
	12"	ABI 103	67

 MNPT x Hosetail***	2" x 2"	ABI 869	21
	3" x 3"	602B3	26
	4" x 4"	ABI 394	33
	5" x 5"	ABI 412	60
	6" x 6"	602B6	70
	8" x 8"	602B8	83
	10" x 10"	602B10	143
	12" x 12"	602B12	198


*** Specialty sizes are available, please call for pricing.


 Pipe Nipple***	2"x4"	606B2	6
	3"x4"	606B3	19
	4"x6"	606B4	38
	5"x6"	606B5	55
	6"x6"	606B6	89
	8"x8"	606B8	105
	10"x10"	606B10	180


*** Half nipples are available for half the price listed


 Pipe Coupler***	2"	606C2	10
	3"	606C3	30
	4"	606C4	50
	5"	606C5	85
	6"	606C6	109
	8"	606C8	227
	10"	606C10	287

*** Half couplers are available for half the price listed


 Concentric Cone	2"-3"	ABI 313	10
	2"-4"	ABI 171	13
	3"-4"	ABI 354	10
	3"-6"	ABI 125	23
	4"-6"	ABI 126	20
	6"-8"	ABI 127	24
	8"-10"	ABI 337	36
	10"-12"	ABI 339	44

 Eccentric Cone	2"-4"	ABI 102	55
	4"-6"	ABI 104	77
	6"-8"	ABI 741	93


	SIZE	PART NUMBER	LIST PRICE
 Hosetail	2"	608B2	25
	3"	608B3	26
	3-1/2"	608B35	27
	4"	608B4	29
	5"	608B5	38
	6"	608B6	41
	8"	608B8	64
	10"	608B10	105
	12"	608B12	128


 Flanged Hosetail***	4" x 4"	603B4	39
	6" x 6"	603B6	50
	8" x 8"	603B8	95
	10" x 10"	603B10	122
	12" x 12"	603B12	138

*** Specialty sizes are available, please call for pricing.


 MNPT x Metric Flange***	40 x 3"	ABI 454	43
	50 x 3"	ABI 455	45
	65 x 3"	ABI 456	47
	65 x 4"	ABI 731	49
	80 x 3"	ABI 361	52
	80 x 4"	ABI 359	54
	100 x 3"	ABI 457	56
	100 x 4"	ABI 732	58


*** Specialty sizes are available, please call for pricing

 Bend 90 Degree	3"	ABI 175	38
	3-1/2"	ABI 216	41
	4"	ABI 110	55
	6"	ABI 091	84
	8"	ABI 099	99
	10"	ABI 100	150
	12"	ABI 101	153

 Bend 45 Degree	4"	ABI 781	49
	6"	ABI 128	60
	8"	ABI 106	76
	10"	ABI 100A	98
	12"	ABI214	106

*** Smaller sizes are available, please call for pricing

 Tab Gasket	40 mm	CP33600	3
	50 mm	CP33601	3
	65 mm	CP33602	3
	80 mm	CP33603	4
	100 mm	CP33604	9
	125 mm	CP33606	9
	150 mm	CP33681	10



Standard Flanges (Dimensions are given in inches)

SIZE	PART #	D	d	b	a	# HOLES	f	PRICE
4"	ABI 085	9.00	4.57	.625	7.50	8	.750	27
6"	ABI 130	11.00	6.72	.688	9.50	8	.750	31
8"	ABI 694	13.50	8.72	.688	11.75	8	.875	50
10"	ABI 788	16.00	10.88	.688	14.25	12	1.000	69
12"	ABI 787	19.00	12.88	.812	17.00	12	1.000	85


Metric Flanges (Dimensions are given in millimeters)

SIZE	PART #	D	d	b	a	# HOLES	f	PRICE
40	ABI 497	150	40	10	110	4	16	31
50	ABI 558	160	50	10	125	4	16	33
65	ABI 496	185	65	12	145	4	16	36
80	ABI 495	200	80	12	160	8	18	40
100	ABI 553	220	100	15	180	8	18	46
125	ABI 555	250	125	18	210	8	18	46
150	ABI 557	285	150	18	240	8	18	49



Valve Opening Elbow


SIZE	PART NUMBER	LIST PRICE
Aluminum	3" x 3"	127
	4" x 3"	140
	4" x 4"	146
Steel	3" x 3"	126
	4" x 3"	137
	4" x 4"	143
	6" x 4"	180
	6" x 6"	210



300 Series Steel Couplers

specs.	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
2" Weld-On	2.01	1.91	0.24	2.83	0.67	3.27	1.22	2.44	0.37	1.91	2.01	0.28	1.97	2.17	2.76
3" Weld-On	3.07	2.99	0.28	3.86	0.87	4.57	1.46	3.48	0.51	2.99	3.07	0.55	3.19	2.87	3.86
4" Weld-On	4.37	4.25	0.47	5.79	1.10	6.50	2.32	5.20	0.59	4.25	4.37	0.59	4.41	4.21	5.71
5" Weld-On	5.39	5.20	0.47	6.42	1.34	7.52	2.13	5.98	0.71	5.20	5.39	0.67	5.39	3.78	6.26
6" Weld-On	6.42	6.22	0.59	7.17	1.34	8.31	2.05	6.69	0.75	6.22	6.42	0.75	6.10	4.06	7.09
8" Weld-On	7.95	7.64	0.71	9.09	1.34	10.51	2.99	8.66	0.75	7.64	7.87	0.67	7.87	5.00	9.06


Specifications to 1/100th of an inch • Specifications Subject to Change



200 Series Steel Couplers

specs.	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
10" Weld-On	11.14	14.09	2.40	1.42	9.57	9.25	9.96	11.81	6.73	0.86	11.06	9.72	9.37	11.89	4.33	1.38
12" Weld-On	13.35	17.56	2.76	1.69	12.01	11.65	11.97	14.57	8.35	0.93	13.98	12.20	11.85	14.65	4.92	1.65


Specifications to 1/100th of an inch • Specifications Subject to Change.



300 Series Male Hosetail Couplers

male mechanical specs.	A	C	D	E	F	G	H	I	S
2" 50x50mm	6.50	4.33	0.98	1.38		2.09	1.97	1.85	0.06
3" 76x76mm	8.07	5.31	1.38	1.38		3.11	2.99	2.87	0.06
4" 108x100mm	11.42	7.28	1.38	1.77	1.77	4.09	3.94	3.80	0.07
5" 133x125mm	11.61	7.87	1.38	1.77	1.77	5.08	4.92	4.78	0.07
6" 159x150mm	12.40	8.46	1.57	1.97	1.97	6.06	5.91	5.77	0.07
8" 194x200mm	14.96	9.84	1.97	2.36	2.36	8.11	7.87	7.71	0.08

Hose Set Specifications to 1/100th of an inch • Specifications Subject to Change



300 Series Female Hosetail Couplers

female mechanical specs.	A	C	D	E	F	G	H	I	S
2" 50x50mm	5.51	4.33	0.98	1.38		2.09	1.97	1.85	0.06
3" 76x76mm	6.69	5.31	1.38	1.38		3.11	2.99	2.87	0.06
4" 108x100mm	9.45	7.28	1.38	1.77	1.77	4.09	3.94	3.80	0.07
5" 133x125mm	10.04	7.87	1.38	1.77	1.77	5.08	4.92	4.78	0.07
6" 159x150mm	10.43	8.46	1.57	1.97	1.97	6.06	5.91	5.77	0.07
8" 194x200mm	12.99	9.84	1.97	2.36	2.36	8.11	7.87	7.71	0.08

Hose Set Specifications to 1/100th of an inch • Specifications Subject to Change

