





GEARBOX D-744A (744.020.20)



POS.	Page	Description	N.Pieces	Item Number	Notes
1	17	Plug 20	1	01202.069.041	
2	17	Spring	2	0.721.7101.00	
3	17	Serial Plate "COMER"	1	0.124.7101.00	
4	17	Oil Plug 47x7	6	8.7.0.01362	
5	17	Circlip I47	7	8.5.2.01290	
6	17	Bearing 6204	7	8.0.1.00405	
7	17	Circlip E20	3	8.5.1.00261	
8	17	Cylindrical Gear Z=22, M1.5	1	0.735.5001.00	
9	17	Cylindrical Gear Z=24, M1.75	1	0.744.5015.00	
10	17	Key 5x5x20	1	8.4.1.01617	
11	17	Crown Gear Z=35, M1.75	1	0.744.6007.00	
12	17	Cylindrical Gear Z=15, M3.5	2	0.744.6008.00	
13	17	Key 5x5x10	1	8.4.1.01511	
14	17	Oil Seal 20x47x7	1	8.7.3.01395	
15	17	Input Shaft	1	0.744.2009.00	
16	17	Bolt TE M8x18 (8.8)	6	8.1.1.01676	
17	17	Spacer 48x35.3x1.3	1	0.259.7513.00	
18	17	Spacer 40.3x46.7	2	0.457.7500.00	
19	17	Spacer L=4	1	0.744.7104.00	
20	17	Pinion Shaft Z=12, M1.5	1	0.744.5011.00	
21	17	Pinion Shaft Z=14, M1.75	1	0.744.5009.00	
22	17	Spacer 51.5x40.3x2.5	1	0.244.7525.00	
23	17	Pinion Shaft Z=12, M2	1	0.744.5001.00	
24	17	Bearing 6304	1	8.0.1.00035	
25	17	Circlip I52	1	8.5.2.00038	
26	17	Gear with Bearing 6206	1	2.744.6010.00	
27	17	Oil Plug 72x10	2	8.7.0.00744	
28	17	Pinion Shaft Z=12, M2.75	1	0.744.5004.00	
29	17	Circlip I72	2	8.5.2.00131	
30	17	Bearing 6207	2	8.0.1.00870	
31	17	Bearing 6208	2	8.0.1.00871	
32	17	Oil Seal 40x80x10	1	8.7.3.00027	
33	17	Circlip I80	2	8.5.2.00030	
34	17	Key 12x8x35	1	8.4.1.00966	
35	17	Spacer	1	0.285.7102.00	
36	17	Crown Gear Z=62, M2.75	1	0.744.6000.00	
37	17	Casing	1	0.744.0302.00	
38	17	Output Shaft	1	0.744.3004.00	
39	17	Oil Plug 80x10	1	8.7.0.00790	
40	17	Spacer 51.5x40.3x1	1	0.244.7510.00	
41	17	Handle	1	1.721.7002.00	
42	17	Rollpin 5x24	1	8.4.5.00934	
43	17	Lever	1	2.744.7013.00	
44	17	Crown Gear Z=73, M2	1	0.744.6001.00	
45	17	Key 10x8x25	2	8.4.1.00992	
46	17	Bushing	1	0.744.7000.00	
47	17	Spacer	1	0.744.7106.00	

GEARBOX D-744A (744.020.20)



POS.	Page	Description	N.Pieces	Item Number	Notes
48	17	Spacer 44x30.3x1	1	0.102.7510.00	
49	17	Circlip E30 H=2	1	8.5.1.01082	
50	17	Cover	1	0.735.1300.00	
51	17	Spacer 20.5x34.8x1	1	0.742.7510.00	
52	17	Oil Plug 22x4	1	8.7.0.01343	
53	17	Key tempered	1	0.744.7100.00	
54	17	Bolt TCEI M8x12 (8.8)	2	8.1.2.01718	
55	17	Compound Gear	1	2.744.5007.00	
56	17	Crown Gear Z=58, M1.5	1	0.744.6003.00	
57	17	Key tempered	1	0.744.7101.00	
58	17	Spacer 32x20.3x2.5	2	0.104.7525.00	
59	17	Oil Sight Glass 3/8" GAS	1	8.6.4.00273	
60	17	Drain Plug 3/8" GAS	1	8.6.5.00006	
61	17	Circlip I62	2	8.5.2.00007	
62	17	Oil Plug 62x10	1	8.7.0.00743	
63	17	Bearing 6007	2	8.0.1.00000	
64	17	Cylindrical Gear Z=34, M2	1	0.744.5002.00	
65	17	P.T.O. Shaft 1-3/8" 6 spline	1	0.744.3001.00	
66	17	Pin	1	0.744.7005.00	
67	17	Flat Washer 8.4x14	2	8.3.2.00439	
68	17	Threaded Knob M8 F	1	8.9.1.01713	
69	17	Spring	1	0.735.7103.00	
70	17	Brake Band	1	2.744.7006.00	
71	17	Brake Drum	1	0.744.7004.00	
72	17	Circlip E35	2	8.5.1.00005	
73	17	Key 10x8x25	1	8.4.1.00232	
74	17	Oil Seal 35x62x10	1	8.7.3.00003	
75	17	O-Ring 3062	2	8.7.6.00191	
76	17	Cover	1	2.744.1310.00	
77	17	Spring Washer 40x20.4x1.5	1	8.5.5.01316	
78	17	Cotter Pin 4x35	1	8.4.7.00760	
79	17	Lever Combo 4 speed	1	2.744.7002.00	
80	17	Castle Nut M20x1.5	1	8.2.2.00997	
81	17	Ball 5/16" (7.9 mm)	2	8.5.9.00166	
82	17	Oil Breather 1/2" GAS	1	8.6.7.00269	
83	17	Locking Nut M20x1.5	1	0.744.7105.00	
84	17	Spacer 32x20.3x1	1	0.104.7510.00	
251	17	Oil Seal 8x22x7	1	8.7.3.01396	