

## PLEASE NOTE

In order to avoid mistakes when ordering please insure that orders are specific with your own order number and that where applicable the correct part numbers are used.

**Prices are ex-works Villa Rica, Georgia**

**Minimum order value \$25.00**

**Net 30 Days**

**Prices are subject to change without notice**

**CREDIT:** All orders will be shipped C.O.D. unless the Dealer/Distributor has approved credit with ABI.

**NOTE:** C.O.D. will also apply to Dealers/Distributors who have reached their credit limit.

**HANDLING:** A fee of \$7.00 will be charged to each shipment as a handling charge.

**FREIGHT:** All truck shipments (TL and/or LTL) are sent freight collect.  
Prepaid shipments have a 10% surcharge added.

## Contents

Page 1	GX Series Travelers
Page 2	JX Series Travelers
Page 3	Micro Series Travelers and GX/JX Options
Page 4	RM Booms
Page 5	Traveler Accessories
Page 6	Rovatti Tractor Pumps
Page 7	Rovatti Flanged Mount Pumps
Page 8	Diesel Pumping Units
Page 9	Rovatti Bare-Shaft Pumps
Page 10	Pump Accessories
Page 11	Pump Accessories
Page 12	Rovatti Slurry Pumps
Page 13	Slurry Equipment
Page 14	Pet Hose and Clamps

SERIES	MODEL	HOSE I.D. INCHES	HOSE LENGTH FEET	SPRINKLER MODEL		
<b>540GX</b> Tires 145-13	50/820	1.6	820	KOMET 101		
	63/620	2.1	620	KOMET 101		
<b>560GX</b> Tires 195/70-14	63/985	2.1	985	KOMET 101		
	75/820	2.5	820	KOMET 101		
	82/525	2.7	525	KOMET 101		
<b>570GX</b> Tires 215/60-15	75/1150	2.5	1150	KOMET 101		
	82/985	2.7	985	KOMET 101		
	90/720	3.0	720	KOMET 101		
<b>581GX</b> Tires 10.0/80-12	90/1050	3.0	1050	KOMET 140		
	90/1150	3.0	1150	KOMET 140		
	100/985	3.3	985	KOMET 140		
	110/720	3.7	720	KOMET 160		
<b>690GX</b> Tires 10.0/75-15.3	100/1312	3.3	1312	KOMET 140		
	110/1210	3.7	1210	KOMET 160		
	125/820	4.1	820	KOMET 202		
<b>790GX</b> Tires 10.0/75-15.3	110/1312	3.7	1312	KOMET 160		
	120/1476	4.0	1476	KOMET 202		
	125/1115	4.1	1115	KOMET 202		
<b>890GX</b> Tires 10.0/75-15.3	125/1312	4.1	1312	KOMET 202		
	135/1250	4.5	1250	KOMET 202		

**\*Other hose sizes and lengths are available for special orders ~ details on request!**

<b>GX SERIES STANDARD FEATURES</b>	<ul style="list-style-type: none"> <li>• Hydraulic cart lift (mechanical for series 540,560 and 570)</li> <li>• Telescoping stabilizer legs (hydraulic on series 581, 690,790 and 890)</li> <li>• 4 speed gearbox (3 speed for series 540)</li> <li>• Turbine mounted on the gearbox with built in by-pass (separate for series 540)</li> <li>• Flexible connection hose with quick couplers (12 feet)</li> <li>• Galvanized adjustable width sprinkler cart with three wheels</li> <li>• Komet Sprinkler</li> <li>• Set of two nozzles</li> <li>• Speed compensation</li> <li>• Digital speed read-out and clock</li> <li>• Galvanized chassis</li> <li>• Turntable bearing</li> <li>• Crossover pipe on 581, 690, 790 and 890 (except engine drives)</li> </ul>
--	---



AgriBusiness International, Inc.  
P.O. Box 909, Villa Rica, GA 30180  
Phone: (770) 459-4401  
Fax: (770) 459-6877

Catalog  
June 2008

SERIES	MODEL	HOSE I.D. INCHES	HOSE LENGTH FEET	SPRINKLER MODEL		
<b>600JX</b> Tires 10.0/75-15.3	100/1312	3.5	1312	KOMET 140		
	110/1210	3.7	1210	KOMET 160		
	125/820	4.1	820	KOMET 202		
<b>700JX</b> Tires 10.0/75-15.3	110/1312	3.7	1312	KOMET 160		
	125/1115	4.1	1115	KOMET 202		
<b>800JX</b> Tires 11.5/80-15.3	110/1640	3.7	1640	KOMET 160		
	125/1312	4.1	1312	KOMET 202		
	135/1250	4.5	1250	KOMET 202		
<b>900JX</b> Tires 12.5/80-15.3	135/1475	4.5	1475	KOMET 202		
	140/1312	4.5	1312	KOMET 202		
	150/1250	5.0	1250	KOMET 202		
<b>MAJOR</b> Tires 11.5/80-15.3	125/2200	4.1	2200	KOMET 202		
	140/1640	4.5	1640	KOMET 202		
	150/1500	5.0	1500	KOMET 202		

**\*Other hose sizes and lengths are available for special orders ~ details on request!**

<b>JX SERIES STANDARD FEATURES</b>	<ul style="list-style-type: none"> <li>• Hydraulic lowering and raising of machine</li> <li>• Automatic sprinkler cart loading and lifting</li> <li>• 4 speed gearbox</li> <li>• Power Take Off</li> <li>• Turbine mounted on the gearbox with built in by-pass</li> <li>• Flexible connection hose with quick couplers (12 feet)</li> <li>• Galvanized adjustable width and height sprinkler cart with three wheels</li> <li>• Komet Sprinkler</li> <li>• Set of two nozzles</li> <li>• Pressure Gauge 0-200 psi</li> <li>• Wind up handle</li> <li>• Speed compensation</li> <li>• Digital speed read-out and clock</li> <li>• Hydraulic tractor connection</li> <li>• Hydraulic jack, wheels, stabilizer legs and cart lifting</li> <li>• Safety guards</li> <li>• Turntable (hydraulic on series 900 and Major)</li> <li>• Galvanized chassis (except on series 900 and Major)</li> </ul>
--	---

SERIES	MODEL	HOSE I.D. INCHES	HOSE LENGTH FEET	SPRINKLER MODEL	
MICRO 25	25/165	0.75	165	SILVER	
MICRO 32	32/295	1.00	295	FUNNY	
MICRO 40	40/360	1.25	360	K1	
*MICRO 405	40/425	1.25	425	KOMET 163	
* Available in 2008					
MICRO 50	50/490	1.60	490	KOMET 163	
*MICRO 505	50/560	1.60	560	KOMET 163	
* Available in 2008					
MICRO 50-SS	50/490	1.60	490	KOMET 101	
*MICRO 505-SS	50/560	1.60	560	KOMET 101	
* Available in 2008					

<b>MICRO SERIES STANDARD FEATURES</b>	<ul style="list-style-type: none"> <li>Piston drive on Micro 25 and Micro 32</li> <li>Turbine drive on Micro 40, Micro 405, Micro 50, Micro 505, Micro 50-SS and Micro 505-SS</li> <li>Automatic water shut-off</li> <li>Speed control</li> <li>Adjustable width sprinkler cart for Micro 40, Micro 405, Micro 50, Micro 505, Micro 50-SS and Micro 505-SS</li> <li>Sprinkler skid plate on Micro 25</li> <li>Pressure gauge</li> <li>ACGF-5.5HP Honda booster pump on Micro 50-SS and Micro 505-SS</li> </ul>
---------------------------------------	--

<b>GX SERIES &amp; JX SERIES</b>	<ul style="list-style-type: none"> <li>Briggs &amp; Stratton 6.5hp hydraulic power pack</li> <li>Machine completely galvanized (series GX560,GX570,GX581)</li> <li>Machine completely galvanized (series GX690,GX790,JX600,JX700)</li> <li>Machine completely galvanized (series GX890,JX800)</li> <li>2" Auto shut-off valve (series GX540, GX560,GX570)</li> <li>3" Auto shut-off valve (series GX581,GX690,GX790,JX600,JX700)</li> <li>4" Auto shut-off valve (series GX890,JX800,JX900,Major)</li> <li>Crank assist turntable (series GX570,GX581,GX690,GX790,GX890)</li> <li>Hydraulic turntable (series GX690,GX790,GX890,JX600,JX700,JX800)</li> <li>Double axle (series GX690,GX790)</li> <li>Double axle (series GX890)</li> <li>Double axle (series JX800)</li> <li>Double axle (series JX900)</li> </ul>
<b>OPTIONAL FEATURES</b>	<ul style="list-style-type: none"> <li>Vacuum Pump</li> <li>Vacuum Pump (series Major)</li> <li>Nelson SR100 in place of Komet 101</li> <li>Nelson SR150 in place of Komet 140</li> <li>Nelson SR150 in place of Komet 160</li> <li>Nelson SR200 in place of Komet 202</li> <li>Computerized speed control Rain Master 2.1 with Shut-off valve</li> <li>Solar panel</li> <li>Electronic Speed Monitor</li> <li>Coated turbine for heavy solids and aggressive liquids</li> <li>Hydraulic Jack</li> </ul>

SERIES	MODEL	NUMBER OF NOZZLES	IRRIGATED WIDTH FEET	BOOM	REINFORCED CART	HYDRAULIC LIFTING
<b>25 FT</b> Aluminum	G501	8	35			
<b>45 FT</b> Galvanized	G41	12	65			
<b>65 FT</b> Galvanized, Self-Leveling	G13	17	100			
<b>90 FT (H.D. SLURRY)</b> Galvanized, Self-Leveling	G25	25 Drop Nozzles	95			
<b>100 FT</b> Galvanized, Self-Leveling	G14	27	130			
<b>130 FT</b> Galvanized, Self-Leveling	G15	35	165			
<b>165 FT</b> Galvanized, Self-Leveling	G51	45	200			

## ALBATROS BOOM

SERIES	MODEL	NUMBER OF NOZZLES	IRRIGATED WIDTH FEET	BOOM	HYDRAULIC POWER PACK	HYDRAULIC ROTATION
<b>235 FT</b> Aluminum Four wheeled cart Hydraulic lift with end sprinklers and automatic emptying.	G52	64	300			

	DESCRIPTION	PART NUMBER	
<b>BLOW-OUT ATTACHMENTS</b>	2" with Lever Clamp	ABI 255	
	3" with Lever Clamp	ABI 256	
	4" with Lever Clamp	ABI 119	

	DESCRIPTION	PART NUMBER	
<b>SPRINKLERS</b>	Silver	RMGETSILVER	
	Funny	RMGETFUNNY	
	K1	RMGETK1	
	Komet 163 w/2 nozzle set	G21534	
	Komet 101SR w/2 ring set	ABI 268	
	Komet 140SR w/2 nozzle set	ABI 118	
	Komet 160SR w/2 nozzle set	S54687	
	Komet 202SR w/2 nozzle set	ABI 269	
	Komet 202SRVA variable angle	ABI 270	
	Nelson SR100 w/ ring nozzle set	ABI 366	
	Nelson SR150 w/ ring nozzle set	ABI 367	
Nelson SR200 w/ ring nozzle set	ABI 653		

	DESCRIPTION	PART NUMBER	
<b>PRESSURE GAUGES</b>	Gauge w/ slurry protector 0-200psi	ABI 708	
	Gauge/Pressure 0-200psi	ABI 044	
	Gauge/Pressure 1/8"mnpt (back mount)	RM3000110	

		COUPLER		HOSEBAND	
<b>REPAIR COUPLERS</b>	Each repair coupler requires 2 hosebands for installation.	Coupler/Repair 44 x 3.5 (1.5)	G33977		Y38431
		Coupler/Repair 50 x 3.7 (1.7)	Z76543		S76560
		Coupler/Repair 63 x 4.0 (2.2)	D89634		E76594
		Coupler/Repair 63 x 4.7 (2.1)	L76577		E76594
		Coupler/Repair 70 x 5.0 (2.36)	Y37189		P36951
		Coupler/Repair 75 RM	RMNOZZ75		N74877
		Coupler/Repair 75 x 5.5 (2.5)	T74928		N74877
		Coupler/Repair 82 RM	RMNOZZ82		K85615
		Coupler/Repair 82 x 6.0 (2.75)	C87655		K85615
		Coupler/Repair 90 x 9.7 (3.0)	M74945		G74894
		Coupler/Repair 100 RM	RMNOZZ100		W11588
		Coupler/Repair 100 x 7.0 (3.4)	B12030		W11588
		Coupler/Repair 110 x 7.5 (3.74)	F74962		A74911
		Coupler/Repair 110 x 8.2 (3.68)	B67621		A74911
		Coupler/Repair 120 x 10.7 (3.9)	R41392		X41443
		Coupler/Repair 120 x 8.9 (4.02)	Z51082		X41443
		Coupler/Repair 125 x 10.0 (4.13)	N44908		V42545
		Coupler/Repair 125 x 8.5 (4.25)	G44925		V42545
Coupler/Repair 125 x 9.3 (4.2)	V67638		V42545		
Coupler/Repair 135 x 12.8 (4.5)	ABI 791		ABI 554		

	DESCRIPTION	PART NUMBER	
<b>WHEELS AND TIRES</b>	4.00x8 2Ply nylon	RM3000112	
	4.80/4.00-800, 8 ply	RM4000104	
	13x5.00 6 ply	RM5400118	
	145/10 4 ply	RM5010106	
	145-13	RM5400115	
	125/70 D15	RM5800104	
	195/70-14	RM5600107	
	215/60-15	RM5800116	
	10.0/80-12	RM5900103	
	10.0/75-15.3	RM6000101	
	11.5/80-15.3	RM8000105	
	15.0/55-17 10 ply	RM8000124	
	12.5/80-15.3	RM9000114	

MODEL	SUCTION SIZE	DISCHARGE SIZE	PART NUMBER			
*TO-F50	3"	2"	TO-F50			
T1-40	4"	4"	T1-40			
T1-50	4"	4"	T1-50			
T1-65	4"	4"	T1-65			
T2-40	4"	4"	T2-40			
T2-50	4"	4"	T2-50			
T2-65	4"	4"	T2-65			
T2-80	4"	4"	T2-80			
T2-85	4"	4"	T2-85			
T3-80	4"	4"	T3-80			
T3-100	6"	4"	T3-100			
T4-100-1000	6"	4"	T4-100-1000			
T4-100-540	6"	4"	T4-100-540			
T4-125-1000	6"	4"	T4-125-1000			
T4-125-540	6"	4"	T4-125-540			
MB20	8"	4"	MB-20			
MB25	8"	4"	MB-25			

\* Price includes strainer, footvalve, 3" hose couplers, 2" discharge hose couplers, 2" x 90° delivery elbow and connection to tractor.


	LIST PRICE A	LIST PRICE B	LIST PRICE C
<b>ACCESSORIES INCLUDED IN PRICE RANGES</b>	<ul style="list-style-type: none"> <li>• Companion Flanges</li> <li>• Nuts and Bolts</li> <li>• Gaskets</li> </ul>	<ul style="list-style-type: none"> <li>• Companion Flanges</li> <li>• Nuts and Bolts</li> <li>• Gaskets</li> <li>• PTO shaft</li> <li>• 2 wheeled trolley</li> </ul>	<ul style="list-style-type: none"> <li>• Companion Flanges</li> <li>• Nuts and Bolts</li> <li>• Gaskets</li> <li>• PTO shaft</li> <li>• 2 wheeled trolley</li> <li>• Suction extension</li> <li>• Discharge flange adapter</li> <li>• 3x4 Discharge valve</li> <li>• Priming Pump</li> <li>• Male lever coupler with hosetail</li> </ul>

PRESSURE	MODEL	DUTY @ 1800 RPM		DUTY @ 2400 RPM	
		GPM	hd/ft	GPM	hd/ft
LOW	S3QN150	1000	90	1500	100
	SN200	2400	90	3200	150
	S250	4000	50	*****	*****
MEDIUM	S3P80AM	300	120	300	200
	S3P100K	300	180	300	320
	S3P105	500	120	500	210
	S3P125	700	95	700	175
	S4P125K	800	280	800	430
	S4P150K	1000	300	1000	400
HIGH	S4P150KA	1200	175	1200	310
	S2K65/2	175	130	175	265
	S2K80/2	300	140	300	270
	S3K65/3	175	195	175	380
	S3K80/3	300	185	300	395
	S3K100/2	400	290	*400	390
	S3K100/3	500	390	*400	500
	S4K125/2	800	450	*****	*****
	S4K125/2A	800	360	*800	430
	S4K125/3A	1000	420	*1000	570
S4K150/2	1200	420	*****	*****	
S4K150/2A	1200	320	*1200	420	

Pumps are available in SAE2, SAE3, SAE4 and SAE5 flange mount.  
Just replace the 'S' on the pump Model with F2 for SAE2, F3 for SAE3, F4 for SAE4, F5 for SAE5.

- Example:
- SAE2 housing on Model S3K100/3 would be F23K100/3
  - SAE5 housing on Model S4P150K would be F54P150K

Price includes SAE housing and flywheel coupler. Please specify flywheel and flange size when ordering.



Flange Size	Flywheel Size	Dimensions					
		A	B	C	D	E	F
SAE 2	8"	9-5/8"	10-3/8"	17-5/8"	18-3/8"	19-1/4"	2-7/16"
	10"	11-5/8"	12-3/8"	17-5/8"	18-3/8"	19-1/4"	2-1/8"
	11-1/2"	13-1/8"	13-7/8"	17-5/8"	18-3/8"	19-1/4"	1-9/16"
SAE 3	8"	10-3/8"	9-5/8"	16-1/8"	16-7/8"	17-3/4"	2-7/16"
	10"	12-3/8"	11-5/8"	16-1/8"	16-7/8"	17-3/4"	2-1/8"
	11-1/2"	13-1/8"	13-7/8"	16-1/8"	16-7/8"	17-3/4"	1-9/16"
SAE 4	6-1/2"	7-7/8"	8-1/2"	14-1/4"	15"	15-7/8"	1-3/16"
	7-1/2"	8-3/4"	9-1/2"	14-1/4"	15"	15-7/8"	1-3/16"
	8"	9-5/8"	10-3/8"	14-1/4"	15"	15-7/8"	2-7/16"
	10"	11-5/8"	12-3/8"	14-1/4"	15"	15-7/8"	2-1/8"
SAE 5	6-1/2"	7-7/8"	8-1/2"	12-3/8"	13-1/8"	14"	1-3/16"
	7-1/2"	8-3/4"	9-1/2"	12-3/8"	13-1/8"	14"	1-3/16"
	8"	9-5/8"	10-3/8"	12-3/8"	13-1/8"	14"	2-7/16"

DIESEL ENGINE MODEL	HORSEPOWER @		
	1800	2000	2200
4045D-80	62	67	68
4045T-100	80	84	90
4045T-125	98	105	110
6068D-125	94	102	107
6068T-155	127	134	140
6068T185	145	153	162

**NOTE: Engine prices are subject to change without notice.**

PUMP MODEL	DUTIES @ RPM		
	1800	2000	2200
F43K100/2	350 gpm @ 300 ft/hd	500 gpm @ 360 ft/hd	600 gpm @ 430 ft/hd
F33K100/3	400 gpm @ 400 ft/hd	600 gpm @ 460 ft/hd	700 gpm @ 400 ft/hd
F34K125/2	800 gpm @ 440 ft/hd		
F43K150/2	1000 gpm @ 400 ft/hd		

<b>DIESEL PUMPING UNIT ACCESSORIES</b>	• Muffler with raincap	
	• Battery with rack and cables	
	• Hi/Lo pump pressure shut-off	
	• Hood and grill	
	• Trailer with 150 gallon fuel tank	
	• Oil level site gauge	
	• Water level site gauge	
	• #900 hand primer	
	• 3"x4" discharge priming valve with flange adapter	
	• Flanged suction extension x 6" female quick coupler	
• 6" male quick coupler with hosetail		

PRESSURE	MODEL	DUTY @ 1800 RPM		DUTY @ 3500 RPM		
		GPM	hd/ft	GPM	hd/ft	
LOW	S3QN150	1000	90	*****	*****	
	SN200	2400	90	*****	*****	
	S250	4000	50	*****	*****	
MEDIUM	S2P65	150	85	150	335	
	S2P80K	300	90	300	400	
	S3P100M	600	85	600	365	
	S3P105E	500	113	500	495	
	S3P125E	800	73	1000	380	
	S3P150KE	1200	260	*****	*****	
HIGH	S2K65/2	200	105	300	550	
	S2K80/2H	300	105	400	510	
	S3K80-45/4	150	224	285	890	
	S3K100/2	400	290	700	750	
	S3K100/3	500	360	*****	*****	
	S4K125/2	800	440	*****	*****	
	S4K150/2	1000	460	*****	*****	

Prices include flanges, gaskets and nuts and bolts.

	DESCRIPTION	PART NUMBER	
<b>PRIMING PUMP</b>	Wade Rain #9	ABI 522	
	Protek No.7	ABI 169	
	Protek No.9	ABI 719	
	Protek HP700	ABI 411	
	Protek HP900	ABI 410	
<b>FLANGED SUCTION EXTENSION</b>	4" Socket x 50 mm Flange	ABI 048	
	4" Socket x 65 mm Flange	ABI 049	
	4" Socket x 80 mm Flange	ABI 050	
	5" Socket x 80 mm Flange	ABI 054	
	5" Socket x 100 mm Flange	ABI 051	
	6" Socket x 80 mm Flange	ABI 720	
	6" Socket x 100 mm Flange	ABI 200	
	6" Socket x 125 mm Flange	ABI 203	
<b>DISCHARGE PRIMING VALVE</b>	3" FPT x 4" FPT	ABI 038	
	4" FPT x 4" FPT	ABI 134	
<b>FOOTVALVE WITH STRAINER</b>	3" Galvanized	325B3	
	4" Galvanized	325B4	
	5" Galvanized	325B5	
	6" Galvanized	325B6	
	8" Galvanized	325B8	
	10" Galvanized	325B10	
	12" Galvanized	325B12	
<b>STRAINER WITH HOSETAIL</b>	2" Galvanized	630050	
	3" Galvanized	631076	
	4" Galvanized	633100	
	5" Galvanized	634125	
	6" Galvanized	634150	
<b>SUCTION HOSE</b>	1" Clear PVC	ABI 037	
	1-1/2" Clear PVC	ABI 136	
	2" Black / Wire Reinforced	ABI 862	
	3" Green PVC	ABI 114	
	4" Green PVC	ABI 115	
	5" Green PVC	ABI 205	
	6" Green PVC	ABI 547	
	8" Green PVC	ABI 733	
<b>DISCHARGE HOSE (150 psi)</b>	3/4"	ABI 627	
	1"	ABI 416	
	1-1/2"	DWAQ902	
	2"	ABI 208	
	3"	ABI 414	
	3-1/2"	ABI 164	
	4"	ABI 210	
	5"	ABI 524	
	6"	ABI 501	
8"	ABI 629		
<b>LAY-FLAT HOSE (125 psi)</b>	1-1/2"	ABI 433	
	2"	ABI 830	
	2-1/2"	ABI 288	
	3"	ABI 242	
	4"	ABI 243	
<b>BOLT SET</b>	1 Each M16 x 60 Bolt w/Hex Nut	ABI 458	

	DESCRIPTION	PART NUMBER	
<b>MALE COUPLERS WITH HOSETAIL</b> lever clamp included	2" 300 Series Galvanized	309B2	
	3" 300 Series Galvanized	309B3	
	3-1/2" 300 Series Galvanized	309B35	
	4" 300 Series Galvanized	309B4	
	5" 300 Series Galvanized	309B5	
	6" 300 Series Galvanized	309B6	
	8" 300 Series Galvanized	309B8	
<b>FEMALE COUPLERS WITH HOSETAIL</b> rubber ring included	2" 300 Series Galvanized	310B2	
	3" 300 Series Galvanized	310B3	
	3-1/2" Series Galvanized	310B35	
	4" 300 Series Galvanized	310B4	
	5" 300 Series Galvanized	310B5	
	6" 300 Series Galvanized	310B6	
	8" 300 Series Galvanized	310B8	
<b>LEVER CLAMP</b> galvanized	2" 300 Series	304GB2	
	3" 300 Series	304GB3	
	3-1/2" 300 Series	304GB35	
	4" 300 Series	304GB4	
	5" 300 Series	304GB5	
	6" 300 Series	304GB6	
	8" 300 Series	304GB8	
<b>RUBBER O-RING</b>	2" 300 Series	305B2	
	3" 300 Series	305B3	
	3-1/2" 300 Series	305B35	
	4" 300 Series	305B4	
	5" 300 Series	305B5	
	6" 300 Series	305B6	
	8" 300 Series	305B8	
<b>RUBBER TAB GASKETS</b>	40 mm	CP33600	
	50 mm	CP33601	
	65 mm	CP33602	
	80 mm	CP33603	
	100 mm	CP33604	
	125 mm	CP33605	
	140 mm	N31660	
	160 mm	Y11452	
<b>DISCHARGE FLANGE ADAPTER</b>	40 mm x 2" mnpt	ABI 346	
	40 mm x 3" mnpt	ABI 454	
	50 mm x 3" mnpt	ABI 455	
	65 mm x 3" mnpt	ABI 456	
	65 mm x 4" mnpt	ABI 731	
	80 mm x 3" mnpt	ABI 361	
	80 mm x 4" mnpt	ABI 359	
	100 mm x 3" mnpt	ABI 457	
	100 mm x 4" mnpt	ABI 732	
	<b>POWER TAKE-OFF SHAFTS</b>	6x6, 540 rpm, 16 hp	WT2100
6x6, 540 rpm, 27-42 hp		WT2200	
6x6, 540 rpm, 38-60 hp		WT2300	
6x6, 540 rpm, 53-80 hp		WT2400	
6x6, 540 rpm/1000rpm, 90/139 hp		WT2500	
6x6, 540/1000 rpm, 90/139 hp		WT2500A	

MODEL	PTO SPEED	SUCTION/DISCH	DUTY			
			GPM	ft/hd		
Open-vane PTO pump with mechanical seal.						
TL2-85	540	4x4	300	261		
TL3-80	540	4x4	300	376		
TL3-110	540	6x4	600	258		
TL4-100	540	6x4	500	400		
TL4-100	1000	6x4	500	400		

"TL" ACCESSORIES INCLUDED IN PRICE RANGES	LIST PRICE A	LIST PRICE B
		<ul style="list-style-type: none"> <li>Companion Flanges</li> <li>Gaskets</li> <li>Nuts and Bolts</li> </ul>

"TL" OPTIONAL EXTRAS	LIST PRICE

MODEL	PTO SPEED	SUCTION/DISCH	DUTY		A	B
			GPM	ft/hd		
Open-vane PTO pumps with static blade, mechanical seal and built in chopper.						
TL3-K80T	540	4x4	300	343		
TL4-K100T	540	6x4	500	365		
TL4-K100T	1000	6x4	500	365		

"TLK" ACCESSORIES INCLUDED IN PRICE RANGES	LIST PRICE A	LIST PRICE B
		<ul style="list-style-type: none"> <li>Companion Flanges</li> <li>Gaskets</li> <li>Nuts and Bolts</li> </ul>

MODEL	RPM	SUCTION/DISCH	DUTY		A	B
			GPM	ft/hd		
Open-vane pedestal mount pump with mechanical seal.						
SLE2-85	3500	4x4	400	210		
SLE3-80	3500	4x4	400	392		
SL3-110	3500	6x4	600	280		
SL3-101G	3500	6x4	600	435		

"SL"- "SLE" ACCESSORIES INCLUDED IN PRICE RANGES	LIST PRICE A	LIST PRICE B
		<ul style="list-style-type: none"> <li>Companion Flanges</li> <li>Gaskets</li> <li>Nuts and Bolts</li> </ul>

MODEL	RPM	SUCT/DISCH	DUTY		A	B
			GPM	ft/hd		
Open-vane flanged mount pump with mechanical seal and chopper.						
FL33101GA-E	2400	6x4	400	245		
FL33K125GA-E	2400	6x4	400	245		

"FL" ACCESSORIES INCLUDED IN PRICE RANGES	LIST PRICE A	LIST PRICE B
		<ul style="list-style-type: none"> <li>• Companion Flanges</li> <li>• Gaskets</li> <li>• Nuts and Bolts</li> <li>• Mechanical Seal</li> <li>• Chopper</li> </ul>

## SLURRY EQUIPMENT

	DESCRIPTION	PART NUMBER	
<b>AQUAREEL</b>	Self-traveling wastewater disposal system ideal for the smaller dairy or hog farmer. Fully galvanized for long life. Handles up to 4500 gph at low pressure,	AQC175	

	DESCRIPTION	PART NUMBER	
<b>PIT PROP AGITATORS</b>	Fully Galvanized pit prop agitator with mechanical seal and aeration system. Movred Maxi "B" 18ft.	ABI 583	
	Pit prop agitator on wheeled chassis and with hydraulic raising and lowering. Movred Maxi "C" 30ft.	ABI 706	

	SIZE O.D. (mm)	SIZE I.D. (inches)	PART NUMBER
<b>POLYETHYLENE HOSE</b>	25	0.75	RMMAN300401
	32	1.00	RMTUBOPE8032
	40	1.25	RMTUBOPE8040
	44	1.50	Y32175
	50	1.67	B16331
	63	2.10	V16348
	70	2.36	N16365
	75	2.50	V59956
	82	2.75	G16382
	90	3.00	RMTUBPOL9074
	100	3.34	ABI 525
	110	3.75	RMTUBPOL110896
	120	4.00	H48583
	125	4.10	ABI 519
	135	4.50	RMTUBPOL135
	140	4.50	ABI526

	SIZE (Inches)	SIZE (mm)	PART NUMBER
<b>HOSE CLAMPS</b>  Heavy-duty single bolt Atlantic Clamps are manufactured from high-grade mild steel and zinc plated for strength and long life. Increased possibility of tightening several diameters with the same collar. Therefore smaller stocks are possible.	1.02-1.14	26-29	AG26-29
	1.18-1.30	30-33	AG30-33
	1.33-1.45	34-37	AG34-37
	1.49-1.61	38-41	AG38-41
	1.65-1.81	42-46	AG42-46
	1.85-2.00	47-51	AG47-51
	2.04-2.24	52-57	AG52-57
	2.28-2.48	58-63	AG58-63
	2.48-2.68	63-68	AG63-68
	2.63-2.87	67-73	AG67-73
	2.87-3.11	73-79	AG73-79
	3.11-3.38	79-86	AG79-86
	3.38-3.74	86-95	AG86-95
	3.74-4.13	95-105	AG95-105
	4.09-4.52	104-115	AG104-115
	4.33-4.84	110-123	AG110-123
	4.52-5.12	115-130	AG115-130
	4.72-5.27	120-134	AG120-134
	5.16-5.51	131-140	AG131-140
	5.27-5.83	134-148	AG134-148
5.82-6.38	148-162	AG148-162	
6.38-6.92	162-176	AG162-176	
6.50-7.09	165-180	AG165-180	
6.89-7.48	175-190	AG175-190	
7.48-8.07	190-205	AG190-205	
7.91-8.39	205-220	AG205-220	
8.42-8.94	214-227	AG214-227	
8.66-9.25	220-235	AG220-235	
9.25-9.84	235-250	AG235-250	